Limits of Sequences II

Brian Forrest

September 27, 2010

Definition of a limit

Recall:

Definition: (Formal Definition of a Limit:)

We say that L is the limit of the sequence $\{a_n\}$ as n goes to infinity,

Definition of a limit

Recall:

Definition: (Formal Definition of a Limit:)

We say that L is the limit of the sequence $\{a_n\}$ as n goes to infinity, if for every $\epsilon > 0$

Definition of a limit

Recall:

Definition: (Formal Definition of a Limit:)

We say that L is the limit of the sequence $\{a_n\}$ as n goes to infinity, if for every $\epsilon > 0$ there exists an $N \in \mathbb{N}$

Definition of a limit

Recall:

Definition: (Formal Definition of a Limit:)

We say that L is the limit of the sequence $\{a_n\}$ as n goes to infinity, if for every $\epsilon > 0$ there exists an $N \in \mathbb{N}$ such that if $n > N$, then

$$| a_n - L | < \epsilon.$$

Definition of a limit

Recall:

Definition: (Formal Definition of a Limit:)

We say that L is the limit of the sequence $\{a_n\}$ as n goes to infinity, if for every $\epsilon > 0$ there exists an $N \in \mathbb{N}$ such that if $n > N$, then

$$| a_n - L | < \epsilon.$$

In this case we write

$$\lim_{n \to \infty} a_n = L.$$

Definition of a limit

Recall:

Definition: (Formal Definition of a Limit:)

We say that L is the limit of the sequence $\{a_n\}$ as n goes to infinity, if for every $\epsilon > 0$ there exists an $N \in \mathbb{N}$ such that if $n > N$, then

$$| a_n - L | < \epsilon.$$

In this case we write

$$\lim_{n \to \infty} a_n = L.$$

We may also say $\{a_n\}$ converges to L and write $a_n \to L$.

Definition of a limit

Recall:

Definition: (Formal Definition of a Limit:)

We say that L is the limit of the sequence $\{a_n\}$ as n goes to infinity, if for every $\epsilon > 0$ there exists an $N \in \mathbb{N}$ such that if $n > N$, then

$$| a_n - L | < \epsilon.$$

In this case we write

$$\lim_{n \to \infty} a_n = L.$$

We may also say $\{a_n\}$ converges to L and write $a_n \to L$.

If no such L exits, we say that $\{a_n\}$ *diverges*.

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$.

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$. Let $\epsilon > 0$.

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$. Let $\epsilon > 0$.

- $x > \frac{1}{\epsilon^2}$

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$. Let $\epsilon > 0$.

- $x > \frac{1}{\epsilon^2} \Rightarrow \epsilon^2 > \frac{1}{x}$

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$. Let $\epsilon > 0$.

- $x > \frac{1}{\epsilon^2} \Rightarrow \epsilon^2 > \frac{1}{x} \Rightarrow \epsilon > \frac{1}{\sqrt{x}}$.

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$. Let $\epsilon > 0$.

- $x > \frac{1}{\epsilon^2} \Rightarrow \epsilon^2 > \frac{1}{x} \Rightarrow \epsilon > \frac{1}{\sqrt{x}}$.
- If $\frac{1}{\epsilon^2} < N$

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$. Let $\epsilon > 0$.

- $x > \frac{1}{\epsilon^2} \Rightarrow \epsilon^2 > \frac{1}{x} \Rightarrow \epsilon > \frac{1}{\sqrt{x}}$.
- If $\frac{1}{\epsilon^2} < N \leq n$

Example



Example: Show that $\lim_{n\to\infty} \frac{1}{\sqrt{n}} = 0$. Let $\epsilon > 0$.

- $x > \frac{1}{\epsilon^2} \Rightarrow \epsilon^2 > \frac{1}{x} \Rightarrow \epsilon > \frac{1}{\sqrt{x}}$.
- If $\frac{1}{\epsilon^2} < N \leq n \Rightarrow \mid \frac{1}{\sqrt{n}} - 0 \mid < \epsilon$.

Example



Example:

Consider $\{(-1)^{n+1}\} = \{1, -1, 1, -1, \ldots\}$.

Example



Example:

Consider $\{(-1)^{n+1}\} = \{1, -1, 1, -1, \ldots\}$.

Does $\{(-1)^{n+1}\}$ have a limit?

Example



Is $\lim_{n\to\infty} \{(-1)^{n+1}\} = 1$?

Example:

Consider $\{(-1)^{n+1}\} = \{1, -1, 1, -1, \ldots\}$.

Does $\{(-1)^{n+1}\}$ have a limit?

Example



Example:

Consider $\{(-1)^{n+1}\} = \{1, -1, 1, -1, \ldots\}$.

Does $\{(-1)^{n+1}\}$ have a limit?

Is $\lim\limits_{n\to\infty} \{(-1)^{n+1}\} = 1$? Is $\lim\limits_{n\to\infty} \{(-1)^{n+1}\} = -1$?

Example



Example:

Consider $\{(-1)^{n+1}\} = \{1, -1, 1, -1, \ldots\}$.

Does $\{(-1)^{n+1}\}$ have a limit?

Is $\lim\limits_{n\to\infty} \{(-1)^{n+1}\} = 1$? Is $\lim\limits_{n\to\infty} \{(-1)^{n+1}\} = -1$?

Or both?

Example



Example:

Consider $\{(-1)^{n+1}\} = \{1, -1, 1, -1, \ldots\}$.

Does $\{(-1)^{n+1}\}$ have a limit?

Is $\lim\limits_{n\to\infty} \{(-1)^{n+1}\} = 1$? Is $\lim\limits_{n\to\infty} \{(-1)^{n+1}\} = -1$?

Or both?

Answer: Assume $\lim\limits_{n\to\infty} \{(-1)^{n+1}\} = L$ and $\epsilon = 0.5$.

Example



Example:

Consider $\{(-1)^{n+1}\} = \{1, -1, 1, -1, \ldots\}$.

Does $\{(-1)^{n+1}\}$ have a limit?

Is $\lim_{n\to\infty} \{(-1)^{n+1}\} = 1$? Is $\lim_{n\to\infty} \{(-1)^{n+1}\} = -1$?

Or both?

Answer: Assume $\lim_{n\to\infty} \{(-1)^{n+1}\} = L$ and $\epsilon = 0.5$. Choose the cutoff N such that if $n > N$ then

$$| (-1)^{n+1} - L | < 0.5.$$

Example



Pick $k_0 \in \mathbb{N}$ such that $2k_0 + 1 \geq N$.

Example



Pick $k_0 \in \mathbb{N}$ such that $2k_0 + 1 \geq N$. Then

$$a_{2k_0+1} = 1$$

Example



Pick $k_0 \in \mathbb{N}$ such that $2k_0 + 1 \geq N$. Then

$$\begin{aligned} a_{2k_0+1} &= 1 \\ &\Longrightarrow \mid 1 - L \mid < 0.5 \end{aligned}$$

Example



Pick $k_0 \in \mathbb{N}$ such that $2k_0 + 1 \geq N$. Then

$$\begin{aligned} a_{2k_0+1} &= 1 \\ &\Longrightarrow \mid 1 - L \mid < 0.5 \\ &\Longrightarrow L \in (0.5, 1.5) \end{aligned}$$

Example



Pick $k_1 \in \mathbb{N}$ such that $2k_1 \geq N$.

Example



Pick $k_1 \in \mathbb{N}$ such that $2k_1 \geq N$. Then

$$a_{2k_1} = -1$$

Example



Pick $k_1 \in \mathbb{N}$ such that $2k_1 \geq N$. Then

$$\begin{aligned} a_{2k_1} &= -1 \\ &\Longrightarrow \ |-1-L| < 0.5 \end{aligned}$$

Example



Pick $k_1 \in \mathbb{N}$ such that $2k_1 \geq N$. Then

$$\begin{aligned} a_{2k_1} &= -1 \\ &\Longrightarrow \ |-1-L| < 0.5 \\ &\Longrightarrow \ L \in (-1.5, -0.5) \end{aligned}$$

Example



Pick $k_1 \in \mathbb{N}$ such that $2k_1 \geq N$. Then

$$\begin{aligned} a_{2k_1} &= -1 \\ &\Longrightarrow \ |-1-L| < 0.5 \\ &\Longrightarrow \ L \in (-1.5, -0.5) \end{aligned}$$

Hence $L \in (-1.5, -0.5)$ and $L \in (0.5, 1.5)$ which is impossible.

Example



Pick $k_1 \in \mathbb{N}$ such that $2k_1 \geq N$. Then

$$\begin{aligned} a_{2k_1} &= -1 \\ &\Longrightarrow \ |-1-L| < 0.5 \\ &\Longrightarrow \ L \in (-1.5, -0.5) \end{aligned}$$

Hence $L \in (-1.5, -0.5)$ and $L \in (0.5, 1.5)$ which is impossible.

Therefore, $\{(-1)^{n+1}\}$ has no limit!

Uniqueness of Limits

Problem: Can $\{a_n\}$ have two different limits?

Uniqueness of Limits

Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$

Uniqueness of Limits

Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$.

Uniqueness of Limits



Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Uniqueness of Limits



Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Uniqueness of Limits



Let $\epsilon = \frac{M-L}{2}$.

Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Uniqueness of Limits



Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Let $\epsilon = \frac{M-L}{2}$.

Uniqueness of Limits



Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Let $\epsilon = \frac{M-L}{2}$.

Consider a_{n_0}.

Uniqueness of Limits



Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Let $\epsilon = \frac{M-L}{2}$.

Consider a_{n_0}. If n_0 is large enough, then

$$a_{n_0} \in (M - \epsilon, M + \epsilon)$$

Uniqueness of Limits



Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Let $\epsilon = \frac{M-L}{2}$.

Consider a_{n_0}. If n_0 is large enough, then

$$a_{n_0} \in (M - \epsilon, M + \epsilon)$$

and

$$a_{n_0} \in (L - \epsilon, L + \epsilon)$$

Uniqueness of Limits



Problem: Can $\{a_n\}$ have two different limits?

Assume $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$ with $L < M$. Consider $\frac{M+L}{2}$.

Let $\epsilon = \frac{M-L}{2}$.

Consider a_{n_0}. If n_0 is large enough, then

$$a_{n_0} \in (M - \epsilon, M + \epsilon)$$

and

$$a_{n_0} \in (L - \epsilon, L + \epsilon)$$

which is impossible!

Uniqueness of Limits

Theorem: (Uniqueness of Limits)

Assume that $\lim_{n\to\infty} a_n = L$ and $\lim_{n\to\infty} a_n = M$. Then

$$L = M.$$

Example

Often, it is difficult to tell if a sequence converges or if so, what its limit might be.

Example

Often, it is difficult to tell if a sequence converges or if so, what its limit might be.

Example: Consider the recursively defined sequence

$$a_1 = 1 \quad a_{n+1} = cos(a_n).$$

Example

Often, it is difficult to tell if a sequence converges or if so, what its limit might be.

Example: Consider the recursively defined sequence

$$a_1 = 1 \quad a_{n+1} = cos(a_n).$$

Does $\{a_n\}$ converge?

Example

Often, it is difficult to tell if a sequence converges or if so, what its limit might be.

Example: Consider the recursively defined sequence

$$a_1 = 1 \quad a_{n+1} = cos(a_n).$$

Does $\{a_n\}$ converge? If so, what is $\lim_{n \to \infty} a_n$?

Example



$$a_1 = 1,$$

Example



$$a_1 = 1,$$

Example



$$a_1 = 1,$$

Example



$$a_1 = 1,$$

Example



$$a_1 = 1,$$
$$a_2 = 0.5403023059,$$

Example



$$a_1 = 1,$$
$$a_2 = 0.5403023059,$$

Example



$$a_1 = 1,$$
$$a_2 = 0.5403023059,$$

Example



$$a_1 = 1,$$
$$a_2 = 0.5403023059,$$
$$a_3 = 0.8575532158,$$

Example



$$a_1 = 1,$$
$$a_2 = 0.5403023059,$$
$$a_3 = 0.8575532158,$$
$$a_4 = 0.6542897905,$$

Example



$$a_1 = 1,$$
$$a_2 = 0.5403023059,$$
$$a_3 = 0.8575532158,$$
$$a_4 = 0.6542897905,$$
$$a_5 = 0.7934803587,$$

Example



$$
\begin{aligned}
a_1 &= 1, \\
a_2 &= 0.5403023059, \\
a_3 &= 0.8575532158, \\
a_4 &= 0.6542897905, \\
a_5 &= 0.7934803587, \\
a_6 &= 0.7013687737,
\end{aligned}
$$

Example



$$
\begin{aligned}
a_1 &= 1, \\
a_2 &= 0.5403023059, \\
a_3 &= 0.8575532158, \\
a_4 &= 0.6542897905, \\
a_5 &= 0.7934803587, \\
a_6 &= 0.7013687737, \\
a_7 &= 0.7639596829, \\
a_8 &= 0.7221024250, \\
a_9 &= 0.7504177618,
\end{aligned}
$$

Example



$$
\begin{aligned}
a_1 &= 1,\\
a_2 &= 0.5403023059,\\
a_3 &= 0.8575532158,\\
a_4 &= 0.6542897905,\\
a_5 &= 0.7934803587,\\
a_6 &= 0.7013687737,\\
a_7 &= 0.7639596829,\\
a_8 &= 0.7221024250,\\
a_9 &= 0.7504177618,
\end{aligned}
$$

0.7314040424, 0.7442373549, 0.7356047404, 0.7414250866, 0.7375068905, 0.7401473356, 0.7383692041, 0.7395672022, 0.7387603199, 0.7393038924, 0.7389377567, 0.7391843998,

...

Example



$$a_{72} = 0.7390851332,\ a_{73} = 0.7390851332,\ a_{74} = 0.7390851332,$$

Example



$a_{72} = 0.7390851332$, $a_{73} = 0.7390851332$, $a_{74} = 0.7390851332$, suggests that $\{a_n\}$ converges to some L.

Example



$a_{72} = 0.7390851332$, $a_{73} = 0.7390851332$, $a_{74} = 0.7390851332$, suggests that $\{a_n\}$ converges to some L.
In fact,

$$cos(L) = L.$$